

ISO 4762 / DIN 912, cap screw, M 16x250, 12.9, pln



Article number
16091216250

EAN
None

Weight in kg
0.426

Customs number
73181568


Material
Steel

Quality
12.9

Coating
pln

Diameter
16 mm

Length
250 mm



Product details

DIN 912 wurde zurückgezogen und ist austauschbar mit ISO 4762.

Material	Steel
Depth t	8 mm
Total length l	250 mm
Length	250 mm
Norm	ISO 4762
Diameter	16 mm
Height of the head k	16 mm
Coating	pln
Diameter of the head dk	24 mm
Thread length b	44 mm
Force application type	Hex socket
Quality	12.9

Force application ISK 14

Diameter d 16 mm

Remarks

Norm wurde zurückgezogen. DIN ähnlich ISO 4762.

Product variants

Diameter (mm)	2	2,5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36	42
Length (mm)																				
4	•	•	•																	
5	•	•	•																	
6	•	•	•	•	•															
8	•	•	•	•	•	•														
10	•	•	•	•	•	•	•													
12	•	•	•	•	•	•	•	•	•											
14	•	•	•	•	•	•	•													
16	•	•	•	•	•	•	•	•	•											
18			•	•	•	•	•	•												
20	•	•	•	•	•	•	•	•	•	•	•									
22			•	•	•	•	•	•												
25	•		•	•	•	•	•	•	•	•	•									
30			•	•	•	•	•	•	•	•	•		•							
35			•	•	•	•	•	•	•	•	•	•	•							
40			•	•	•	•	•	•	•	•	•	•	•		•					
45			•	•	•	•	•	•	•	•	•	•	•		•					
50			•	•	•	•	•	•	•	•	•	•	•		•	•	•			
55			•	•	•	•	•	•	•	•	•	•	•		•	•				
60			•	•	•	•	•	•	•	•	•	•	•		•		•			
65			•	•	•	•	•	•	•	•	•	•	•		•		•			
70			•	•	•	•	•	•	•	•	•	•	•		•	•	•			
75			•	•	•	•	•	•	•	•	•	•	•		•					
80			•	•	•	•	•	•	•	•	•	•	•		•		•		•	
85			•	•	•	•	•	•	•	•	•	•	•							
90			•	•	•	•	•	•	•	•	•	•	•		•	•	•		•	
95			•	•	•	•	•	•	•	•	•	•	•							
100			•	•	•	•	•	•	•	•	•	•	•		•	•	•		•	
105			•	•	•	•	•	•	•	•	•	•	•							
110			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
115			•	•	•	•	•	•	•	•	•	•	•							
120			•	•	•	•	•	•	•	•	•	•	•		•	•	•		•	
125			•	•	•	•	•	•	•	•	•	•	•							
130			•	•	•	•	•	•	•	•	•	•	•		•	•	•			
135			•	•	•	•	•	•	•	•	•	•	•							
140			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
145			•	•	•	•	•	•	•	•	•	•	•							
150			•	•	•	•	•	•	•	•	•	•	•		•		•		•	•
155			•	•	•	•	•	•	•	•	•	•	•							
160			•	•	•	•	•	•	•	•	•	•	•		•		•		•	
165			•	•	•	•	•	•	•	•	•	•	•							

Diameter (mm)	2	2,5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36	42
Length (mm)																				
170					•	•	•	•	•	•			•		•		•		•	
180					•	•	•	•	•	•	•		•	•	•		•		•	
185					•															
190					•	•	•	•	•		•		•				•		•	
200					•	•	•	•	•	•	•	•	•		•		•		•	
210						•		•	•				•		•		•			
220								•	•		•		•		•		•			
230									•	•	•		•		•				•	•
240							•	•	•		•		•		•				•	
250									•		•		•				•			
260						•		•	•		•		•		•		•			
270									•		•				•		•			
280							•	•	•		•		•		•		•		•	
290												•								
300									•	•	•		•		•				•	
310										•	•									
320										•	•		•		•					
330															•				•	
340									•		•		•		•		•			
350											•		•		•					
360											•		•				•			
380											•		•		•					
400											•		•		•		•		•	
420													•		•					
440													•							
460													•		•		•			
480													•				•			