

# ISO 4762 / DIN 912, cap screw, M 6x35, 12.9, pln



**Article number**  
160912635

**EAN**  
None

**Weight in kg**  
0.01

**Customs number**  
73181568

**Material**  
Steel

**Quality**  
12.9

**Coating**  
pln

**Force application type**  
Hex socket

**Diameter**  
6 mm

**Length**  
35 mm

## Product details

With hexagon socket.

Material	Steel
Depth t	3 mm
Total length l	35 mm
Length	35 mm
Norm	ISO 4762
Diameter	6 mm
Height of the head k	6 mm
Coating	pln
Diameter of the head dk	10 mm
Thread length b	24 mm
Force application type	Hex socket
Quality	12.9

Force application ISK 5

Diameter d 6 mm

### Remarks

Standard was withdrawn. DIN similar to ISO 4762.

### Product variants

Diameter (mm)	2	2,5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36	42
Length (mm)																				
4	•	•	•																	
5	•	•	•																	
6	•	•	•	•	•															
8	•	•	•	•	•	•														
10	•	•	•	•	•	•	•													
12	•	•	•	•	•	•	•	•	•											
14	•	•	•	•	•	•	•													
16	•	•	•	•	•	•	•	•	•											
18			•	•	•	•	•	•												
20	•	•	•	•	•	•	•	•	•	•	•									
22			•	•	•	•	•	•												
25	•		•	•	•	•	•	•	•	•	•									
30			•	•	•	•	•	•	•	•	•	•								
35			•	•	•	•	•	•	•	•	•	•	•							
40			•	•	•	•	•	•	•	•	•	•	•		•					
45			•	•	•	•	•	•	•	•	•	•	•		•					
50			•	•	•	•	•	•	•	•	•	•	•		•	•	•			
55			•	•	•	•	•	•	•	•	•	•	•		•	•				
60			•	•	•	•	•	•	•	•	•	•	•		•		•			
65			•	•	•	•	•	•	•	•	•	•	•		•		•			
70			•	•	•	•	•	•	•	•	•	•	•		•	•	•			
75			•	•	•	•	•	•	•	•	•	•	•		•					
80			•	•	•	•	•	•	•	•	•	•	•		•		•			•
85			•	•	•	•	•	•	•	•	•	•	•							
90			•	•	•	•	•	•	•	•	•	•	•		•	•	•			•
95			•	•	•	•	•	•	•	•	•	•	•							
100			•	•	•	•	•	•	•	•	•	•	•		•	•	•			•
105			•	•	•	•	•	•	•	•	•	•	•							
110			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
115			•	•	•	•	•	•	•	•	•	•	•							
120			•	•	•	•	•	•	•	•	•	•	•		•	•	•			•
125			•	•	•	•	•	•	•	•	•	•	•							
130			•	•	•	•	•	•	•	•	•	•	•		•	•	•			
135			•	•	•	•	•	•	•	•	•	•	•							
140			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
145			•	•	•	•	•	•	•	•	•	•	•							
150			•	•	•	•	•	•	•	•	•	•	•		•		•		•	•
155			•	•	•	•	•	•	•	•	•	•	•							
160			•	•	•	•	•	•	•	•	•	•	•		•		•			•
165			•	•	•	•	•	•	•	•	•	•	•							

Diameter (mm)	2	2,5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36	42
Length (mm)																				
170					•	•	•	•	•	•			•		•		•		•	
180					•	•	•	•	•	•	•		•	•	•		•		•	
185					•															
190					•	•	•	•	•		•		•				•		•	
200					•	•	•	•	•	•	•	•	•		•		•		•	
210						•		•	•				•		•		•			
220								•	•		•		•		•		•			
230									•	•	•		•		•				•	•
240							•	•	•		•		•		•				•	
250									•		•		•				•			
260						•		•	•		•		•		•		•			
270									•		•				•		•			
280							•	•	•		•		•		•		•		•	
290												•								
300									•	•	•		•		•				•	
310										•		•								
320										•		•			•					
330															•				•	
340									•		•		•		•		•			
350											•		•		•					
360											•		•				•			
380											•		•		•					
400											•		•		•		•		•	
420													•		•					
440													•							
460													•		•		•			
480													•				•			