


# DIN 934, Hexagon nut with metric coarse thread, M 8, 10, zinc-plated, standard, 5 µm, Zn5/An/T0



**Article number**  
2609348

**EAN**  
None

**Weight in kg**  
0.005


**Customs number**  
73181692

**Material**  
Steel

**Quality**  
10

**Coating**  
zinc-plated, standard, 5 µm, Zn5/An/T0

**Diameter**  
8 mm



## Product details

With metric coarse thread.

Material	Steel
Force application type	External hex
Height h	6.5 mm
Norm	DIN 934
Diameter	8 mm
Quality	10
Force application	SW 13
Coating	zinc-plated, standard, 5 µm, Zn5/An/T0
Diameter d	8 mm

## Remarks

Standard was withdrawn. DIN similar to ISO 4032. Changed SW and height for ISO. Items are delivered according to DIN. Various sizes with a zinc-plated surface are gradually being converted to zinc flake coating. Attention: Possibility of hydrogen embrittlement acc. ISO 4042. For further questions, please contact us under: [engineering@keller-kalmbach.com](mailto:engineering@keller-kalmbach.com)

**Product variants**

Coating	pln	zinc flake, 480h, flZn/nc/TL $\mu$ 0,09 - 0,14	zinc-plated, standard, 5 $\mu$ m, Zn5/An/T0	zinc-plated, thick layer, 12 $\mu$ m, Zn12/Cn/T2 $\mu$ 0,12 - 0, 18	zinc-plated, thick layer, 8 $\mu$ m, Zn8/Cn/T2 $\mu$ 0,12 - 0,18
<b>Diameter (mm)</b>					
3			•		
4	•		•		•
5	•		•		•
6	•	•	•		•
8	•	•	•		•
10	•	•	•		•
12	•	•	•		•
14	•	•	•		
16	•	•	•		•
18	•	•	•		
20	•	•	•	•	
22	•	•	•		
24	•	•	•		
27	•	•	•		
30	•	•	•	•	
33	•		•		
36	•	•	•		
39	•				
42	•		•		
48	•				
56	•				
64	•				